

USER MANUAL

OHHO



Joyful Kids · Joyful Trip


 www.jovikids.com

 [@jovikids_global](https://www.instagram.com/jovikids_global)

 service@jovikids.com

Model WD020

All rights reserved @2024 JOVIKIDS. JOVIKIDS and all associated logos are trademarks.
All product specifications are correct at time of print.
JOVIKIDS reserves the right to change anything at any time without prior notice.
Color representation is as close as processes allow.



Approx.
6Y-12Y

125-150 cm





EN Scan for user manual

DE Scan für Benutzerhandbuch

FR Scannez pour le manuel d'utilisation

IT Scansiona per il manuale utente

ES Escanear para el manual del usuario

JP QRコードをスキャンして説明書を表示します

AR يداشـرـلـيلـ اـلـدـلـلـ لـسـمـ

RU сканируйте для руководства пользователя

-
-
-

CONTENTS

| | |
|--|----|
| Contents | 1 |
| Introduction | 2 |
| Warning | 3 |
| Product Description | 4 |
| Notice | 5 |
| Important Information | 6 |
| Crucial Parts | 7 |
| Installation in the Vehicle with 3-Point-Belt | 8 |
| Installation in the Vehicle with ISOFIX Connectors and 3-Point-Belt | 9 |
| Precautions for Wearing Seat Belts | 10 |
| Removing the Cover | 11 |
| Seat Maintenance | 12 |
| Cleaning | 12 |
| Warranty | 12 |

INTRODUCTION

Dear Parents,

Thank you very much for purchasing our product.

The functions and design of this car seat offer safety and comfort when your child is in this child restraint.

In order to use safely, please adjust the child restraint till it is suitable for your child .

Please take care to use this car seat and read the instruction manual carefully.

Research shows that a high number of car safety seats are incorrectly installed.

Therefore, please take the time to read through the instruction manual carefully.

Our product offers maximum safety only when it is used in accordance with the instructions.

Continuous research by our development team, user tests and consumer reactions ensure that we are kept fully up to date in the field of child safety.

Therefore, if you have any questions about using our product, please do not hesitate to contact us.

You can see our contact information on our website.



WARNING

In order to provide your child with greatest security, please read this instruction manual carefully:

1. The rigid items and plastic parts of an Enhanced Child Restraint System shall be so located and installed that they are not liable, during everyday use of the vehicle, to become trapped by a movable seat or in a door of the vehicle.
2. Any straps holding the restraint to the vehicle should be tight, any support-leg should be in contact with the vehicle floor, any straps or impact shields restraining the child should be adjusted to the child's body, and straps should not be twisted.
3. It is important to ensure that any lap strap is worn low down.
4. The Enhanced Child Restraint System should be replaced when it has been subject to violent stresses in an accident.
5. It is dangerous to make any alterations or additions to the device without the approval of the Type Approval Authority, and it is also dangerous to not following closely the installation instructions provided by the Enhanced Child Restraint System manufacturer.
6. Be sure that children are not left in their Enhanced Child Restraint System unattended.
7. Be sure that any luggage or other objects liable to cause injuries in the event of a collision shall be properly secured.
8. Be sure that the Enhanced Child Restraint System shall not be used without the cover.
9. Be sure that the Enhanced Child Restraint System cover should not be replaced with any other than the one recommended by the manufacturer, because the cover constitutes an integral part of the restraint performance.

PRODUCT DESCRIPTION

| Product Description | Stature | Installation |
|---------------------|-----------|-------------------------|
| WD020 | 125-150cm | 3-point-belt |
| WD020 | 125-150cm | ISOFIX- 3-point-belt |

NOTICE

Notice

This is a specific vehicle booster cushion Enhanced Child Restraint System. It is approved according to UN Regulation No.129, for using in the specific vehicle indicated in the applicable vehicle list. If in doubt, consult either the Enhanced Child Restraint System manufacturer or the retailer.


125-150cm: ISOFIX connectors + adult safety-belt or adult safety-belt only.

IMPORTANT INFORMATION

Important


Forward facing installation only.

Forward Facing




Only forward facing installation allowed.

Positioning in Car



Allowed position in car, only with a 3-point-belt, are indicated green, the best advised position is on the rear seat.



CRUCIAL PARTS



ISOFIX Guide

Insert the ISOFIX Guides onto the car's anchors to attach the child seat securely

INSTALLATION IN THE VEHICLE WITH 3-POINT-BELT




3 Fasten the safety buckle(click).

Make sure the belt is not twisted.

The lap belt should be worn over the hips.


► INSTALLATION IN THE VEHICLE WITH ISOFIX CONNECTORS AND 3-POINT-BELT



- 1 Extend the ISOFIX connectors in the direction shown in the diagram.



- 2 Push the ISOFIX connectors directly onto the anchor points and hear an audible "click" sound, both ISOFIX indicators change color from red to green, that means it is locked.




- 3 Place the child in the seat. Fasten the safety buckle (click).



► PRECAUTIONS FOR WEARING SEAT BELTS

Please Ensure that the Seat Belt is Placed in the Green Area

Adjust the shoulder belt guide hook so that the shoulder belt is at the same level as your child's shoulders (Shown by the green area), and pull tightly.



Please make sure the belt is on the child's pelvis.



Please make sure that the seat belt has passed through both the shoulder belt guide hook and waist belt guide groove.

► REMOVING THE COVER



Remove the cloth cover from the base according to the direction of the arrow.



**The cover is a safety feature.
Never use the child car seat without it.**

Refitting the Cover

To refit the cover, reverse the instruction as per step above.

► SEAT MAINTENANCE

Cleaning the Seat

Do not use any aggressive cleaning products, these may harm the construction material of the child car seat. Cleaning by hand with water and mild detergent.

After an Accident

After an accident, both the child car seat and your car seat belts should be replaced. While they may appear to be intact, child car seat and your car seat belt may not protect your child if you have another accident.

Warranty

We provide a 3-year warranty for this child car seat against manufacturing or material defects. The warranty period begins on the date of purchase. To validate the warranty, please keep the invoice and register your product on jovkids.com.

The Warranty Does Not Cover:

- Natural signs of wear and damage resulting from excessive stress.
- Damage resulting from inappropriate or improper use.
- Color fastness may diminish when exposed to UV radiation. However, all fabrics fade when exposed to UV radiation. This is not a material defect but a normal sign of wear that is not covered by the warranty.
- Buckle malfunction is often due to the accumulation of dirt and dust, which may prevent it from working properly. If this occurs, please check if you can clean it yourself without damaging the buckle. If cleaning does not resolve the issue, please contact after sales service.

**For warranty claims, please contact your retailer directly.
They will provide the necessary advice and support.
When processing claims, product-specific depreciation rates
will be applied. Please refer to our General Terms and
Conditions, which are available from your retailer.**