


Our company is certified with the ISO
9001 Quality Management System
Công ty chúng tôi đã đạt được chứng
nhận của Hệ thống quản lý chất lượng
ISO 9001

Joyoung


Operating Instructions Hướng dẫn sử dụng

Baby Milk Maker
Máy pha sữa thông minh cho bé
JBM-530



Lưu ý an toàn khi sử dụng

 **CẢNH BÁO:** Hãy cẩn trọng với các rủi ro có thể gây nguy hiểm, chấn thương nghiêm trọng hoặc thiệt hại lớn về mặt tài sản.

 **LƯU Ý:** Hãy cẩn thận các rủi ro có thể gây thương tích cho người dùng hoặc hư hại tài sản.

 **CẢNH BÁO:**

1. Trong quá trình hoạt động, sản phẩm sẽ sinh ra nhiệt độ cao và hơi nước, không được chạm vào hoặc tiếp xúc gần với các bộ phận có nhiệt độ cao như van xả khí để tránh bị bỏng.
2. Để phòng tránh các nguy cơ bị điện giật hoặc chập điện, tuyệt đối không được ngâm hay nhúng sản phẩm và dây nguồn vào bất kỳ chất lỏng nào.

 **LƯU Ý:**

1. Sản phẩm không dành cho người bị suy giảm về thể chất, giác quan, trí tuệ hoặc thiếu kinh nghiệm và kiến thức sử dụng (bao gồm cả trẻ em), trừ khi có người giám sát chịu trách nhiệm về sự an toàn và hướng dẫn cụ thể khi sử dụng. Cần giám sát trẻ em trong suốt quá trình sử dụng để đảm bảo trẻ không chơi đùa với sản phẩm.
2. Sản phẩm này chỉ dành cho mục đích sử dụng trong gia đình. Việc sử dụng cho mục đích thương mại, sai cách hoặc không theo hướng dẫn sẽ không được bảo hành và công ty sẽ không chịu trách nhiệm cho mọi sự cố phát sinh.
3. Đối với chức năng Hâm/Ninh, vui lòng không sử dụng các nguyên liệu có độ kết dính cao như khoai lang, bí đỏ, yến mạch, nấm tuyết... để tránh tình trạng khét đáy.
4. Sản phẩm phải được sử dụng kèm với đế tiếp điện do công ty cung cấp.
5. Sau khi mở hộp, hãy vứt ngay túi ni lông vào thùng rác để tránh nguy cơ trẻ nhỏ chơi đùa dẫn đến ngạt thở.
6. Không chèn đinh ghim, dây sắc hoặc các vật bằng kim loại khác vào bất kỳ khe hở nào trên vỏ hoặc đế nguồn để tránh bị điện giật và tai nạn dẫn đến thương tích.
7. Không để dây nguồn tiếp xúc với các bề mặt nóng hoặc quấn quanh mép bàn,

tránh xa các cạnh sắc, gờ nhọn hoặc vật nhọn khác để tránh tình trạng rò rỉ điện, điện giật hoặc hỏa hoạn.

8. Dây nguồn để không gọn gàng có thể dẫn đến tai nạn. Hãy để dây nguồn gọn gàng khi sử dụng để đảm bảo an toàn.
9. Trước khi cắm điện sử dụng, vui lòng kiểm tra điện áp của sản phẩm có phù hợp với điện áp nguồn tại nơi sử dụng hay không để tránh làm hỏng linh kiện hoặc gây hỏa hoạn.
10. Nên sử dụng ổ cắm điện có nối đất riêng biệt với dòng điện từ 10A trở lên và đảm bảo phích cắm phải được cắm chặt vào ổ điện để tránh tiếp xúc kém gây quá nhiệt, cháy linh kiện, dẫn đến chập điện hoặc nguy cơ hỏa hoạn.
11. Vui lòng đặt và vận hành sản phẩm trên bề mặt phẳng. Không vận hành sản phẩm trên các vật liệu dễ cháy như thảm, khăn, nhựa, giấy, v.v. nhằm tránh nguy cơ hỏa hoạn.
12. Vui lòng không đặt và vận hành sản phẩm trên bề mặt không ổn định, ẩm ướt, có nhiệt độ cao, trơn trượt và chịu nhiệt kém, nhằm tránh nước sôi trào bắn, điện giật, hỏa hoạn, đổ ngã v.v gây thương tích hoặc thiệt hại tài sản.
13. Không đặt và sử dụng sản phẩm ở những nơi có nhiệt độ cao, từ trường mạnh, khí dễ cháy nổ (như khí tự nhiên, khí biogas...) để tránh làm hỏng linh kiện, gây ra sự cố hoặc hỏa hoạn.
14. Tuyệt đối không để sản phẩm hoạt động mà không có người giám sát để phòng tránh các tình huống bất ngờ gây ra hỏa hoạn và các nguy hiểm khác.
15. Không để sản phẩm đun cạn nước, đun khô (không có nước trong ấm) để tránh làm ấm bị ố vàng, hư hỏng hoặc gây cháy nổ dẫn đến thương tích và thiệt hại tài sản. Vui lòng đảm bảo luôn có lượng nước lạnh phù hợp trong ấm trước khi sử dụng.
16. Lượng nước thêm vào không được vượt quá vạch mức tối đa. Nếu không, nước sôi có thể trào bắn gây nguy hiểm hoặc nước tràn vào bộ phận điều nhiệt gây ra sự cố.
17. Vui lòng không đặt các vật được đậy kín vào trong ấm nhằm tránh gây nổ.
18. Không vận hành sản phẩm thông qua bộ hẹn giờ bên ngoài hoặc hệ thống điều khiển từ xa độc lập để tránh nguy cơ đoản mạch, tự bốc cháy hoặc các nguy hiểm khác.

19. Hãy luôn đảm bảo nắp ấm được đậy kín đúng cách trước khi vận hành sản phẩm để tránh bị bỏng.
20. Vui lòng không mở nắp hoặc di chuyển sản phẩm khi sản phẩm đang vận hành hoặc khi nước đang sôi để tránh bị bỏng.
21. Vui lòng đậy nắp bằng nắp tay cầm chịu nhiệt phía trên khi thân ấm chưa nguội hẳn.
22. Khi nhiệt độ phòng dưới 0°C, không nên cắm điện liên tục, nếu không bộ điều nhiệt có thể tự động đặt lại, gây ra hiện tượng các bộ phận quá nóng và tự bốc cháy.
23. Tuyệt đối không cầm hoặc rút phích cắm khi tay ướt để tránh bị điện giật.
24. Khi rút phích cắm, phải nắm vào phần phích cắm để rút ra, không giật mạnh hoặc vặn xoắn dây nguồn để tránh làm hỏng dây và gây nguy cơ rò rỉ điện.
25. Khi rót nước, hãy thao tác cẩn thận để tránh nước bắn vào người gây bỏng. Đặc biệt cần chú ý hơn khi mặc quần áo hoặc đi giày hở da.
26. Để tránh điện giật hoặc hỏa hoạn, cần đảm bảo nguồn điện đã được ngắt trong các trường hợp sau: Khi ấm không có nước, khi đang thêm nước, khi không sử dụng, khi vệ sinh, làm sạch hoặc di chuyển sản phẩm, và khi sản phẩm gặp sự cố.
27. Nếu sản phẩm bị lỗi hoặc hư hỏng, vui lòng ngưng sử dụng và mang đến trung tâm bảo hành của công ty để sửa chữa. Tuyệt đối không tự ý sửa chữa để tránh nguy hiểm.
28. Nếu dây nguồn bị hỏng, cần phải được thay thế bởi nhà sản xuất, bộ phận kỹ thuật hoặc những người có chuyên môn để tránh nguy hiểm.
29. Vui lòng tháo đế nguồn khi vệ sinh, làm sạch sản phẩm để tránh điện giật, chập điện v.v. Đồng thời lau khô đáy ấm và đế nguồn trước khi sử dụng lại. Tuyệt đối không được ngâm hay nhúng các bộ phận này vào nước để rửa.
30. Sản phẩm này không phù hợp để sử dụng ở khu vực có độ cao trên 2000m, nếu không sẽ không thể đảm bảo các chức năng vốn có.
31. Bên trong nắp ấm có van chống tràn (bi thép) di động nên việc xuất hiện âm thanh khi sử dụng là hiện tượng bình thường.
32. Hãy cẩn thận khi tháo nắp ấm vì có thể sẽ có một lượng nước nhỏ đọng lại trên nắp gây bỏng.

Lời giới thiệu


Kính gửi Quý khách hàng,

Joyoung xin chân thành cảm ơn Quý khách đã tin dùng sản phẩm Máy pha sữa thông minh cho bé của Joyoung. Vui lòng tham khảo danh sách sản phẩm áp dụng để biết tài liệu hướng dẫn sử dụng này áp dụng cho model nào.

Toàn bộ nội dung trong tài liệu này chỉ nhằm mục đích tham khảo cho người dùng trong quá trình sử dụng và bảo trì sản phẩm. Nếu có bất kỳ vấn đề nào chưa được đề cập, xin vui lòng liên hệ với Bộ phận chăm sóc khách hàng hoặc trung tâm bảo hành để được hỗ trợ.

Các bộ phận của sản phẩm này khi tiếp xúc trực tiếp với thực phẩm đều tuân thủ các yêu cầu của pháp luật, quy định và tiêu chuẩn hiện hành. Quý khách có thể hoàn toàn yên tâm sử dụng.

Mong rằng các sản phẩm của Joyoung sẽ mang đến cho Quý khách sự ấm áp, tiện lợi và tràn đầy sức khỏe.



MỤC LỤC

Chương 1: Tên và chức năng các bộ phận
(Bao gồm giao diện sản phẩm)


Chương 2: Hướng dẫn sử dụng sản phẩm

Chương 3: Phân tích và khắc phục sự cố

Chương 4: Vệ sinh và bảo dưỡng

Chương 5: Thông tin cơ bản và chi tiết đóng gói sản phẩm

Tên và chức năng các bộ phận (Bao gồm giao diện sản phẩm)




Số thứ tự	Bộ phận	Chức năng
1	Tay cầm nắp ấm	Dùng để mở nắp ấm
2	Nắp ấm	Dùng để đậy kín miệng ấm
3	Thân ấm	Dùng để chứa nước và được trang bị bộ phận gia nhiệt
4	Bảng điều khiển	Dùng để thực hiện các chức năng như đun sôi khử clo, pha sữa, giữ ấm sữa, v.v
5	Đế nguồn	Dùng để đặt thân ấm và kết nối với bộ phận gia nhiệt
6	Tay cầm	Dùng để nhắc thân ấm lên

Hướng dẫn sử dụng sản phẩm

1. Vui lòng đọc kỹ toàn bộ hướng dẫn sử dụng, đặc biệt là mục "Lưu ý an toàn khi sử dụng" trước khi sử dụng.
2. Trước khi sử dụng lần đầu, vui lòng đổ đầy nước vào ấm đến vạch mức tối đa, đun sôi và đổ bỏ nước đã đun. Sau đó lặp lại thêm lần nữa để làm sạch bên trong ấm, đồng thời loại bỏ được mùi lạ.
3. Đặt ấm lên đế nguồn, thêm lượng nước thích hợp, đậy nắp và cắm phích cắm điện. Màn hình hiển thị sẽ sáng hoàn toàn, máy sẽ phát ra tiếng bíp và chuyển sang trạng thái tắt máy. Nhấn nút [Bắt đầu/Hủy bỏ] lần nữa để vào trạng thái chờ. Sau đó, hãy thêm lượng nước thích hợp đến vạch mức mong muốn trên thân ấm nhưng không được vượt quá vạch mức tối đa hoặc dưới vạch mức tối thiểu để tránh tình trạng đun cạn nước.
4. Chọn nút [Chức năng] trên bảng điều khiển, nhấn nút [Bắt đầu/Hủy bỏ] lần nữa để thiết bị bắt đầu hoạt động.
5. Khi thiết bị đang đun sôi nước, vui lòng không đổ nước ra để tránh bị bỏng.
6. Vui lòng ngắt điện sau khi sử dụng xong.

1 Giao diện điều khiển



2 Giới thiệu các nút chức năng

Số thứ tự	Tên nút	Chức năng
1	Chọn chức năng	Nhấn để chọn chức năng: Pha sữa, Hâm sữa, Cháo ăn dặm, Trà, Cà phê, Hầm/Ninh v.v.
2	Bắt đầu/Hủy bỏ	Bắt đầu hoặc hủy bỏ quá trình gia nhiệt của máy, khởi động hoặc tắt máy
3	+/-	Điều chỉnh nhiệt độ hoặc thời gian, nhấn giữ để điều chỉnh nhanh
4	Đun sôi/Khử clo	Một chạm để bắt đầu đun sôi và khử clo

Thời gian vận hành của các chức năng

Chức năng	Nhiệt độ giữ ấm mặc định	Phạm vi điều chỉnh nhiệt độ giữ ấm	Thời gian giữ ấm	Thời gian hầm/ninh	Phạm vi thời gian hầm/ninh
Pha sữa	45°C	40-70°C	72h	/	/
Hâm sữa	40°C	35-55°C	72h	/	/
Cháo ăn dặm	70°C	60-80°C	24h	/	/
Trà	65°C	60-90°C	72h	/	/
Cà phê	85°C	80-90°C	72h	/	/
Hầm/Ninh	50°C Giữ ấm	/	24h	15 phút sau khi nước sôi	15 phút - 2 giờ
Đun sôi/ Khử clo	<p>1. Vận hành: Ở chế độ chờ, nhấn nút [Đun sôi/Khử clo]. Màn hình kỹ thuật số sẽ hiển thị nhiệt độ hiện tại ở bên trái và nhiệt độ giữ ấm ở bên phải. Đèn báo [Đun sôi/Khử clo] sẽ nhấp nháy đồng thời. Nhấn nút [Bắt đầu/Hủy] hoặc nếu không có thao tác nào trong 5 giây, thiết bị sẽ phát ra tiếng bíp hai lần và chuyển sang trạng thái bắt đầu khử clo. Trong trạng thái này, màn hình kỹ thuật số sẽ tiếp tục hiển thị nhiệt độ hiện tại ở bên trái và nhiệt độ giữ ấm ở bên phải. Đèn báo [Đun sôi/Khử clo] sẽ sáng ổn định. Sau khi nước sôi, thiết bị sẽ vào quá trình khử clo (màn hình kỹ thuật số sẽ hiển thị 100°C liên tục). Sau khoảng 3 phút khử clo, thiết bị sẽ phát ra tiếng bíp ba lần và chuyển sang chế độ giữ ấm.</p>				

Thời gian vận hành chức năng

Đun sôi/ Khử clo	2. Quá trình khử clo tiếp tục trong 3 phút.
	3. Nhiệt độ giữ ấm mặc định là 45°C, với phạm vi điều chỉnh từ 40-90°C. Thời gian giữ ấm tối đa là 72 giờ.

③ Hướng dẫn sử dụng chức năng

1. Chức năng Pha sữa, Hâm sữa, Cháo ăn dặm, Trà, Cà Phê

Các chức năng này sẽ làm nóng nước đến nhiệt độ đã điều chỉnh, sau đó duy trì nhiệt độ để giữ ấm.

(1) Khi máy ở trạng thái tắt, nhấn nút [Bắt đầu/Hủy bỏ] để khởi động máy. Nhấn nút [Chức năng] để lựa chọn chức năng mong muốn. Màn hình sẽ hiển thị "Nhiệt độ hiện tại" và "Nhiệt độ cài đặt", đèn báo của chức năng đã chọn sẽ sáng và "Nhiệt độ cài đặt" sẽ nhấp nháy.

(2) Nhấn nút [Bắt đầu/Hủy bỏ] để bắt đầu quá trình gia nhiệt (Khi nhiệt độ nước đạt đến "Nhiệt độ cài đặt", thiết bị sẽ duy trì "Nhiệt độ cài đặt" để giữ ấm).

Lưu ý: Đối với nước lấy trực tiếp từ vòi nước sinh hoạt của gia đình, vui lòng chọn chức năng [Đun sôi/Khử clo].

2. Chức năng Hâm/Ninh

Máy sẽ gia nhiệt nguyên liệu đến nhiệt độ sôi. Sau đó, máy sẽ bắt đầu đếm ngược và thực hiện quá trình hâm/ninh theo thời gian đã cài đặt. Khi thời gian đếm ngược đã hết, máy sẽ chuyển sang chế độ giữ ấm.

(1) Khi máy ở trạng thái tắt, nhấn nút [Bắt đầu/Hủy bỏ] để khởi động máy. Nhấn nút [Chức năng] và chọn Hâm/Ninh. Màn hình sẽ hiển thị thời gian đã chọn. Nhấn nút [+]/[-] để điều chỉnh thời gian hâm/ninh, ví dụ "00:15" nghĩa là 0 giờ 15 phút.

(2) Nhấn nút [Bắt đầu/Hủy bỏ] để máy bắt đầu gia nhiệt nguyên liệu đến nhiệt độ sôi. Màn hình sẽ hiển thị "Nhiệt độ hiện tại" và "Nhiệt độ cài đặt".

(3) Sau khi sôi, máy sẽ chuyển sang thực hiện quá trình hâm/ninh với thời gian đã cài đặt và màn hình sẽ hiển thị thời gian đếm ngược.

(4) Khi thời gian đếm ngược đã hết, máy sẽ chuyển sang chế độ giữ ấm. Màn hình sẽ hiển thị "Nhiệt độ hiện tại" và "Nhiệt độ cài đặt".

3. Chức năng Đun sôi/Khử clo

Khi máy ở trạng thái tắt, nhấn nút [Bắt đầu/Hủy bỏ] để khởi động máy. Nhấn nút [Đun sôi/Khử clo] để kích hoạt chức năng này (màn hình sẽ hiển thị "Nhiệt độ hiện tại" và "Nhiệt độ cài đặt"). Sau khi hoàn tất, máy sẽ duy trì "Nhiệt độ cài đặt" để giữ ấm.

Lưu ý:

- (1) Tính năng ghi nhớ: Máy có tính năng ghi nhớ chức năng đã chọn gần nhất sau khi khởi động lại (khi máy vào chế độ ngủ và được khởi động lại). Đối với chức năng Pha sữa, Hâm sữa và Đun sôi/Khử clo, máy sẽ ghi nhớ nhiệt độ đã chọn ở lần cài đặt trước.
- (2) Tính năng ghi nhớ khi nhắc ấm khô đế: Trong quá trình vận hành, nếu nhắc ấm lên, máy sẽ tạm ngưng hoạt động. Khi đặt ấm trở lại đế, máy sẽ tiếp tục hoạt động. Trong trường hợp ấm không được đặt lên đế trong thời gian dài, máy sẽ tự động tắt.
- (3) Khi máy đang hoạt động, nhấn nút [Bắt đầu/Hủy bỏ] để dừng quá trình gia nhiệt và máy sẽ chuyển sang trạng thái chờ.
- (4) Sau khi chọn chức năng mong muốn, màn hình và đèn báo sẽ nhấp nháy 5 lần, máy sẽ tự động bắt đầu làm nóng.
- (5) Sau khi xác nhận chức năng đã chọn, có thể nhấn nút [+]/[-] để điều chỉnh nhiệt độ.
- (6) Thời gian giữ ấm của từng chức năng sẽ tùy thuộc vào sản phẩm thực tế.

Phân tích và khắc phục sự cố

Sự cố	Nguyên nhân	Biện pháp khắc phục
Máy không gia nhiệt	Phích cắm điện chưa cắm chặt	Vui lòng kiểm tra phích cắm đã cắm chặt vào ổ cắm chưa
	Dây nguồn bị hỏng	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
	Bảo vệ chống đun khô	Sau khi tắt nguồn, vui lòng thêm nước lạnh vào ấm
	Bảo vệ nhiệt độ cao bất thường của cầu chì nhiệt	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Nút bấm không hoạt động	Nút bấm bị hỏng/Tiếp xúc kém	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Nước đã sôi nhưng ấm vẫn tiếp tục đun và không tự ngắt điện	Dây bên trong bị lỏng hoặc tiếp xúc kém	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
	Cảm biến nhiệt độ bị hỏng	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Màn hình hiển thị E1	Thân ấm chưa khớp với đế nguồn	Đặt thân ấm lên để lại
	Cảm biến bị hỏng	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Màn hình hiển thị E2	Thời gian đun khô quá lâu	Tắt máy, thêm nước lạnh, đợi máy nguội rồi mới tiếp tục sử dụng
	Cảm biến bị đoản mạch	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Màn hình hiển thị FF	Bảo vệ chống đun khô	1. Tắt máy, thêm nước lạnh, đợi máy nguội rồi mới tiếp tục sử dụng 2. Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Màn hình hiển thị E7	Cảm biến bị hỏng	Vui lòng liên hệ trung tâm bảo hành của Joyoung để sửa chữa
Nước có mùi lạ	Đây là hiện tượng bình thường khi sử dụng lần đầu	Xử lý theo chỉ dẫn tại mục 2 của phần "Hướng dẫn sử dụng sản phẩm"
Trong ấm có cặn vôi tích tụ hoặc nước bị đục	Do chất lượng nước	Sử dụng nước tinh khiết hoặc làm sạch cặn vôi ngay

Lưu ý:

Đây là các sự cố thường gặp và biện pháp khắc phục. Khi gặp phải các sự cố khác, vui lòng liên hệ với Bộ phận Chăm sóc Khách hàng của công ty hoặc trực tiếp mang sản phẩm đến trung tâm bảo hành được ủy quyền để sửa chữa. Tuyệt đối không tự ý tháo rời hoặc sửa chữa.

Vệ sinh và bảo dưỡng

1 Cách làm sạch máy pha sữa thông minh

- Vui lòng rút phích cắm điện và để ấm nguội hoàn toàn trước khi làm sạch.
- Tuyệt đối không được ngâm hay nhúng sản phẩm, dây nguồn, phích cắm điện và đế nguồn vào nước.
- Hãy đảm bảo các bộ phận điện luôn được khô ráo.
- Dùng khăn ẩm để lau ngoài thân ấm. Vui lòng không sử dụng bột tẩy rửa, kem tẩy rửa hoặc các sản phẩm tương tự để tránh mất đi độ bóng của thân ấm.

2 Cách làm sạch cặn vôi

Để ấm luôn trong trạng thái hoạt động tốt nhất, cần thường xuyên làm sạch cặn vôi. Nếu ấm thường xuyên tự động tắt trước khi nước sôi, đó là dấu hiệu cho thấy ấm cần được tẩy cặn. Dưới đây là một số phương pháp tẩy cặn tham khảo:

- Sử dụng các sản phẩm tẩy cặn chuyên dụng làm theo hướng dẫn sử dụng của sản phẩm đó.
- Đổ 0,5L giấm trắng 8 độ vào ấm, ngâm trong 1 giờ, sau đó đổ bỏ giấm và rửa lại bằng nước sạch 4 đến 5 lần.
- Đổ 0,5L nước vào ấm, sau đó thêm 25g axit citric, đun sôi và ngâm trong 15 phút. Rửa lại bằng nước sạch 4 đến 5 lần.

Thông tin cơ bản và trọn bộ sản phẩm

Thông số kỹ thuật	Điện áp định mức	220V
	Tần số định mức	50Hz
	Công suất định mức	600W
	Dung tích định mức	1.2L
Trọn bộ sản phẩm	Thân máy chính	1
	Đế nguồn	1
	Sách hướng dẫn sử dụng	1

(Tất cả dữ liệu được cung cấp bởi Trung tâm R&D Joyoung. Mọi thay đổi (nếu có) sẽ không được thông báo trước.)

Safety Precautions



WARNING: Be alert to risks that could lead to personal danger, serious injury, or significant property damage.



CAUTION: Pay attention to risks that could lead to personal injury or damage to items.



Warning:

- 1.The product generates high heat and steam during operation. Do not touch or go near hot parts like the steam vent to prevent burns.**
- 2.To prevent dangers such as electric shock or short circuits, never immerse this product or its power cord in any liquid.**



Caution:

- 1.This product is not designed for use by children or persons with physical, sensory, or mental disabilities, unless they are supervised and instructed on product use by a person responsible for their safety. Children should be supervised to ensure they do not play with this product.
- 2.This product is intended for household use only. Our company bears no responsibility for failures caused by commercial use, improper use, or failure to comply with this instruction manual. Such damage is not covered under warranty.
- 3.Do not cook sticky ingredients such as sweet potatoes, pumpkin, oats or snow fungus during the slow cook function, as this can cause scorching at the bottom.
- 4.This product must be used with the power base provided by our company.
- 5.After opening the packaging, please dispose of plastic bags in the trash to prevent children from playing with them and risking suffocation.
- 6.Do not insert pins, wires, or other metal objects into any gaps or openings in the casing or base to prevent electric shock and injury.
- 7.Ensure the power cord does not come into contact with sharp edges, burrs, other sharp protrusions, or hot surfaces. This prevents electrical leakage, which could lead to electric shock or fire.
- 8.A dangling power cord can easily cause accidents. We recommend arranging the power cord in a reasonable position during use to avoid tripping hazards.
- 9.Before connecting to power, please check if the voltage marked on the product

- matches the supply voltage to prevent damage to components or fire.
10. A grounded 10A or higher independent power outlet must be used. The plug must be fully inserted into the outlet to prevent poor contact, which could lead to component overheating, short circuits, or fire hazards.
 11. Do not exceed the maximum water level when filling. Otherwise, boiling water may splash out and cause danger, or water may flow into temperature control components, leading to malfunction.
 12. Do not place sealed containers inside the pot for heating, as there is a risk of explosion.
 13. Do not operate this product with an external timer or a separate remote control system, as this could lead to dangers such as short circuits or spontaneous combustion.
 14. To avoid burns, please ensure the top lid is properly closed before using the product.
 15. Do not open the top lid or move the product during heating or when water is boiling, to prevent burns.
 16. Do not exceed the maximum water level when filling. Otherwise, boiling water might splash out, causing a hazard, or water could flow into temperature control components, leading to a malfunction.
 17. Do not place sealed containers inside the pot for heating; there is a risk of explosion.
 18. Do not operate this product with an external timer or a separate remote control system, as this could lead to dangers like short circuits or spontaneous combustion.
 19. To avoid burns, always ensure the top lid is properly closed before using the product.
 20. Do not open the top lid or move the product during heating or when water is boiling to prevent burns.
 21. Before the pot body has fully cooled, please close the lid by holding the anti-scald part of the lid.
 22. When the room temperature is below 0°C, do not leave the product connected to the power outlet. Otherwise, the thermostat might automatically reset, causing components to heat up and leading to dangers such as spontaneous combustion.

23. It is strictly forbidden to insert/remove the plug with wet hands or clean the socket with a wet cloth, as this will cause electric shock.
24. When unplugging, always hold the plug to pull it out. Do not pull or twist the power cord forcefully to prevent damage to the power cord, which could lead to an electrical leakage hazard.
25. Exercise caution when pouring water to prevent splashing and scalding. Be especially careful when wearing clothing that exposes skin, or open-toed shoes, to prevent burns.
26. To prevent electric shock or fire, ensure the power is disconnected in the following situations: when the kettle is empty, when adding water, when not in use, when cleaning or moving the product, or when the product malfunctions.
27. If the product malfunctions or is damaged, please stop using it and send it to our company's after-sales service point for repair. Do not attempt to repair it yourself to avoid danger.
28. If the power cord is damaged, to avoid hazards, it must be replaced by the manufacturer, its service department, or similarly qualified personnel.
29. To prevent damage from electric shock or short circuits during cleaning, please remove the base. The bottom of the kettle and the base must be wiped dry before reuse, and they must not be immersed in water for cleaning.
30. This product is not suitable for use in areas with an altitude above 2000 meters; otherwise, its intended functions cannot be guaranteed.
31. There is a movable anti-overflow valve (steel ball) inside the lid; a rattling sound is normal.
32. When removing the lid, there might be a small amount of water inside the lid. Be careful of scalding.


Preface

Dear User,

Thank you for choosing the Joyoung Baby Milk Maker. To confirm if this manual applies to your specific product, please refer to the Applicable Products List. All content within this manual is for your reference during product use and maintenance. For any further questions or unaddressed issues, feel free to contact your local Joyoung After-Sales Service Center or our Company's Customer Service Center.

All food-contacting components of this product comply with relevant laws, regulations, and standard requirements. Please use with confidence.

May Joyoung products bring warmth, convenience, and health to your life.



Contents

Chapter 1: Component Names and Functions
(Including Interface Introduction)


Chapter 2: Product Usage

Chapter 3: Troubleshooting and Analysis

Chapter 4: Cleaning and Maintenance

Chapter 5: Product Basic Information and Packing List

Component Names and Functions (Including Interface Introduction)




No.	Part Name	Part Function
1	Lid Handle	Used to open the lid
2	Upper Lid	Used to securely cover the glass pot body
3	Pot Body	Used for holding water and contains the heating element
4	Control Panel	Used for operating functions like boiling to dechlorinate, preparing formula, warming milk, etc.
5	Power Base	Used to place the pot body and connect to the heating element
6	Handle	Used to lift the formula dispenser pot body

Product Usage

1. Before using this product, please read this instruction manual carefully, especially the "Safety Precautions" section.
2. Before the first use, fill the pot to the maximum water level, select the boiling function, then discard the boiled water after completion. Repeat this process once more to clean the inside of the pot and remove any unusual odors.
3. Place the pot body on the power base, add an appropriate amount of water, cover with the lid, and plug in the power cord. The display will light up fully, the buzzer will sound once, and the machine will enter shutdown mode. Press the [Start/Cancel] button once to enter standby mode. Please add an appropriate amount of water according to the water level marks on the pot body; do not exceed the 4. maximum water level, and do not add too little water to avoid dry burning.
4. Select the [Function Selection] button on the operation interface. After selecting the desired function, click the [Start/Cancel] button again, and the formula dispenser will begin to work.
5. During the boiling process, do not pour water directly to avoid scalding.
6. After use, please disconnect the power.

1 Operation Interface



2 Operation Button Introduction

No.	Detail	Function
1	Function Select	Click to select functions such as formula preparation, milk warming, rice cereal, tea brewing, coffee making, stewing, etc.
2	Start/Cancel	Start or cancel machine heating, wake up or shut down.
3	+/-	Adjust temperature or time, long press for quick adjustment.
4	Boil/Dechlorinate	One-key start for boiling and dechlorination.

Function Operating Times					
Function	Default Heat preservation temperature	Heat preservation Adjustment range	Heat preservation Time	Simmering time	Simmering time range
Formula	45°C	40-70°C	72h	/	/
Bottle Warm	40°C	35-55°C	72h	/	/
Porridge	70°C	60-80°C	24h	/	/
Tea	65°C	60-90°C	72h	/	/
Coffee	85°C	80-90°C	72h	/	/
Slow Cook	50°C Heat Preservation	/	24h	15 minutes after the water boil	15min-2h
Boil / Dechlorinate	<p>1.Operation: In standby mode, press the [Boil/Dechlorinate] button. The digital display will show the current temperature on the left and the keep-warm temperature on the right. The "Dechlorinate" indicator light will flash simultaneously. Press the [Start/Cancel] button or if there's no operation for 5 seconds, the device will beep twice and enter the dechlorination working state. During this state, the digital display will continue to show the current temperature on the left and the keep-warm temperature on the right. The "Dechlorinate" indicator light will be solidly lit. After the water boils, it enters the dechlorination process (the digital display will show 100°C constantly). After approximately 3 minutes of dechlorination, the device will beep three times and enter keep-warm mode.</p>				

Function Operating Times

Boil / Dechlorinate	2.The dechlorination process continues heating for 3 minutes.
	3.The keep-warm function defaults to 45°C, with an adjustable range of 40-90°C. It can maintain warmth for 72 hours.

3 Function Operation Instructions

1. Formula, Warm Milk, Rice Cereal, Tea, Coffee

This function heats water to different preset temperatures and then maintains that temperature.

1.In the off state, click [Start/Cancel] to wake up the device. Click [Function Select] to choose a function. The digital display will show the "current temperature" and the default "set temperature". The indicator light for the selected function and the "set temperature" will flash.

2.Click [Start/Cancel] to start heating. (Once the water reaches the "set temperature", it will maintain that "set temperature" for warming.)

Friendly Reminder: If you're not using potable water, please select the [Boil/Dechlorinate] function.

2. Stewing

This function first heats the ingredients to boiling, then counts down according to the set duration for continuous stewing. After the countdown ends, it enters keep-warm mode.

1.In the off state, click [Start/Cancel] to wake the device. Click [Function Select] to switch to the stewing function. The digital display will show the set working duration; you can adjust the stewing duration by clicking the [+] / [-] buttons. For example, "00:15" indicates zero hours and 15 minutes.

2.Click [Start/Cancel] to begin heating the ingredients to boiling. The digital display will show the "current temperature" and the "set temperature".

3.After boiling, it enters the stewing phase, with the stewing duration being the set time. At this point, the digital display shows the stewing duration counting down.

4.After the countdown ends, it enters the keep-warm phase. The digital display shows the "current temperature" and the "set temperature".

3. Boil/Dechlorinate

In the off state, click [Start/Cancel] to wake the device. Click the [Boil/Dechlorinate] button (the digital display will show "current temperature" and "set temperature") to activate the boiling/dechlorination function. Once complete, it will maintain the "set temperature" for warming.

Note:

- (1) Memory Function: After waking up, the device will remember the previously selected function. For the formula preparation, milk warming, and boil/de-chlorinate functions, it will remember the last set temperature.
- (2) Lift Pot Memory: If the pot body is lifted during operation, the device will pause. When placed back, it will resume the previous operation. If the pot body is not returned for a long time, it will automatically shut down.
- (3) Working State: Single-click the [Start/Cancel] button to stop heating and enter standby mode.
- (4) After selecting a function, the digital display and indicator light will flash 5 times, then heating will start automatically.
- (5) Once a function is confirmed, you can adjust the set temperature using the [+] / [-] keys.
- (6) The keep-warm duration for each function is subject to the actual product.

Troubleshooting and Analysis

Symptom	Cause	Solution
Formula Mixer not heating	Power plug not connected properly	Please check the power plug connection
	Power cord damaged	Please contact Joyoung after-sales service for repair
	Dry-boil protection	After turning off the power, please add cold water to the kettle
	Thermal fuse high-temperature abnormal protection	Please contact Joyoung after-sales service for repair
Buttons not working	Button damaged/Poor contact	Please contact Joyoung after-sales service for repair
Continues heating after water boils without cutting power	Internal wire loose or poor contact	Please contact Joyoung after-sales service for repair
	Temperature sensor faulty	Please contact Joyoung after-sales service for repair
Digital display shows E1	Kettle body and base forced connection/detachment	Place the kettle body back on the base
	Sensor damaged	Please contact Joyoung after-sales service for repair
Digital display shows E2	Dry-boil time too long	Turn off the machine, add cold water, and wait for the machine to cool down before using it again
	Sensor short circuit	Please contact Joyoung after-sales service for repair
Digital display shows FF	Dry-boil protection	1. Turn off the machine and add cold water to cool it down before using it again 2. Please contact Joyoung after-sales service for repair
Digital display shows E7	Sensor damaged	Please contact Joyoung after-sales service for repair
Water has peculiar odor	This phenomenon usually occurs during the first use	Follow method two under "Usage Instructions" to resolve the issue
Limescale at bottom of kettle/Water inside kettle becomes cloudy	Water quality reason	Use purified water or promptly remove limescale to prevent build-up

Note:

The information above covers common troubleshooting and resolution methods. For other issues, please contact our company's customer service or go directly to our designated repair centers for service. Do not attempt to disassemble or repair the product yourself.

Cleaning and Maintenance

1 Cleaning Your Formula Mixer

- Before cleaning your Formula Mixer, always unplug it from the power outlet and allow it to cool down completely.
- Never immerse the Formula Mixer, its power cord, power plug, or power base in water or any other liquid.
- Ensure all electrical connections and components are completely dry before plugging it back in or storing it.
- Wipe the exterior of the Formula Mixer with a damp cloth. Do not use abrasive powders, scouring pastes, or similar products, as they can damage the frother's finish.

2 How to Remove Scale

To keep your Formula Mixer in optimal working condition, you'll need to remove limescale regularly. If your frother frequently turns off automatically before the water boils, it's a clear sign that it needs descaling. You can use a few methods to clean it:

- Use a specialized descaling product designed for Formula Mixers, following the product's instructions carefully.
- Pour 0.5 liters of 8-degree white vinegar into the kettle. Let it soak for 1 hour, then pour out the vinegar and rinse the kettle 4 to 5 times with clean water.
- Add 0.5 liters of water to the kettle, then add 25 grams of citric acid. Boil the water and let it soak for 15 minutes, then rinse the kettle 4 to 5 times with clean water.

Product Basic Information and Packing List

Technical Parameters	Rated Voltage	220V
	Rated Frequency	50Hz
	Rated Power	600W
	Rated Capacity	1.2L
Packing List	Main Unit	1
	Power Base	1
	Instruction Manual	1

(All data provided by Joyoung R&D Center. Subject to change without prior notice.)

