

KALITE

INSTRUCTION MANUAL

Model: KL-620



www.kalite.vn

Preface

Thank you for choosing our Multi-Functional Grain Cooker. We have written this manual to aid you in using and maintaining this product safely and properly. Please read this manual carefully before using and keep it for your reference.

Important safeguards

Basic safety precautions should always be taken while using an electrical appliance, including the following:


1. This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
2. Please keep the machine out of reach of children. Children are not allowed to operate alone to avoid electric shock, scald, or other injuries.
3. This appliance incorporates an earth connection for functional purposes..
4. The instructions for appliances normally cleaned after use, and not intended to be immersed in water for cleaning, shall state that the appliance must not be immersed.
5. Do not insert metal scraps, wires, needles and other foreign bodies into the product interior or gap, otherwise it will cause electric shock or abnormal operation.
6. When the product is cleaned, fails or is not in use, in order to prevent leakage or accidental start, be sure to unplug the power supply.
7. Do not put the product directly on the fire or any place near the heat source or fire source, otherwise the product will be damaged or fail, or even be dangerous.
8. Do not put the product on unstable, damp, high temperature, smooth, heat labile (such as plastic table, fan, cotton cloth, carpet, etc.) table, to avoid electric shock, fire, falling and other injury accidents and property losses.
9. Please use the power socket with rated current of 10A or above and AC voltage of 220V separately to avoid fire, electric shock, and other accidents.
10. Do not plug or unplug by wet hands to avoid electric shock. When unplugging, hold the plug handle and do not pull the power cord, otherwise it is easy to damage the power cord.

11. If the power cord is damaged, it must be replaced with a special cord, or a special component purchased from its manufacturer.
12. Before use, ensure the reliable connection between the power cord and the socket, otherwise the device will be damaged due to poor contact, causing the danger of short circuit or fire.
13. The product is category I appliance. The grounding wire of the socket shall be well grounded.
14. The product is for home use only. The Company shall not be liable for any accident or injury caused by any commercial use, improper use, or non-compliance with the manual.
15. The appliance cannot be operated with an external timer or independent remote-control system.
16. The product is only for indoor use and cannot be used in wet places and outdoors to avoid electric shock and component aging, causing damage accidents.
17. Do not move the product during operation.
18. Do not disassemble the product or replace the parts by yourself, if the product breaks down, so as not to cause fire, electric shock, or injury.
19. After unpacking, please put the plastic bag into the trash can immediately to prevent children from playing with it and causing the risk of suffocation.
20. When the product is working, do not open the top cover, do not keep close to the metal part and steam hole of the product to avoid scalding.
21. The appliance shall not be submerged or drenched in water.
22. Do not lift the inner pot of the product during operation or before cooling, so as to avoid scalding.
23. The altitude range of the product for normal working is 0-2000 meters.
24. Do not cook acidic food (pH $\leq$ 5).

Components and Functions

Accessories


Rice spoon	measuring cup	steamer	power cord	operation manual
1	1	1	1	1



Product Specification

Model	KL-620
Rated voltage	220-240 V
Rated frequency	50Hz
Rated power	860W
Rated capacity	1,8 L
Weight	4,5 Kg
Application number	2-8 persons

How to operate



① Keep warm function

After cooking, the rice cooker will automatically enter the heat preservation state, or you can directly select keep warm to enter the heat preservation state.

- The maximum holding time is 12 hours.

② Delay timer function | Example: Rice reservation. Now it is 10:00 p.m., and it is necessary to complete cooking by 6:00 a.m. tomorrow, so the reservation time is 8 hours (the reservation time is the time difference between the current time and the finished time).

- ① Put the cleaned rice into the inner pot and add water to the corresponding water level according to the amount of rice.
- ② Connect the power supply, press Function, and select the function of White Rice.
- ③ Press Delay Timer to enter the reservation state, and then still press Delay Timer to adjust the reservation time when the cooking will be finished from the current time.
- ④ Press Start to enter the function of Delay Timer. The rice will be finished within the specified time.
 - Delay timer could be applied on oatmeal, white rice, brown rice, quick rice, slow cook and steam functions.
 - In the state of Delay timer function: press Delay Timer to increase ten minutes each time.
 - Long pressing Delay timer for 2 seconds to rapidly increase the reservation time.
 - The Delay Timer is the estimated time. The maximum reservation time is 24 hours. It is recommended that the maximum reservation time should not exceed 12 hours.

⑥ Oatmeal

- ① Put oats into the inner pot. Add adequate drinking water.
- ② Select Oatmeal and press Start to enter the cooking state.

⑥ Rice

- ① Wash the prepared ingredients (millet/brown rice/grains.) and put them into the inner pot.
- ② Add appropriate amount of water to the scale mark of the inner pot (depending on the amount of rice).
- ③ Close the upper cover of the rice cooker, select white rice/brown rice/quick rice, and press Start to enter the cooking state.

⑥ Steam

- ① Prepare the ingredients to be steamed and add water to the corresponding water level according to the amount of ingredients.
- ② Put the cleaned ingredients into the steamer and place the steamer into the inner pot.
- ③ Close the top cover of the rice cooker, press Functions, and select Steaming.
- ④ Press Start to enter the cooking state.

⑥ Quick rice: Cook rice faster than standard (rice may not be cooked evenly depending on the voltage of each region)

⑥ Slow cook: Default is 6 hours, can adjust the time to suit each type of food

Attentions:

- ① Measure rice with the accompanied measuring cup.
- ② Add water. If you cook with 4 cups of rice, add water to the scale mark 4.
- ③ For all functions, do not exceed the corresponding highest water level; do not wash rice in the inner pot.

Installation and cleaning:

- ① Clean the outside of the rice cooker, and then open the upper cover of the rice cooker. Hold the inner cover by one hand, grab the central silicone sheet on the inner cover by the other hand and apply force outward to remove the inner cover.
- ② Remove the inner pot, clean the inside and outside with a soft sponge, and then dry with soft dry cloth. Then clean the inner cover, dry it with soft cloth, fit and install it correctly.

Note: Please make sure the rice cooker is in power-off state when cleaning and take/put the inner pot gently to avoid collision deformation. Do not scrub the inner pot with steel wool or hard objects to avoid scratching the inner pot coating.

Maintenance service

Symptom	Troubleshooting	Solution
The indicator light is not on	The power supply is not turned on	Inspect whether the power supply is turned on
	The line fails	Please contact us
The heating plate fails to heat	The circuit fails	Please contact us
	The fuse is burnt	
	The heating plate fails	
The indicator light is on The heating plate fails to heat	The circuit fails	Please contact us
	The heating plate fails	
Rice is undercooked	Too much or little rice is cooked	Adjust the total capacity of rice and water in the range from the highest mark to the lowest scale mark
	The ratio of rice to water is not right	Adjust the ratio of rice to water
	The inner pot is not placed well and is suspended	Rotate the inner pot gently to get right
	There are foreign matters between the inner pot and the heating plate	Clean the foreign matters, but do not clean with water directly
	The inner pot is deformed	Please contact us
	The circuit fails	
	The sensor fails	
Automatically enters the keep warm function or the digital screen displays the error code E5	The inner pot is not placed	Turn off the power supply. The rice cooker can be used normally after cooling down.
	There is no water in the inner pot	
	The inner pot is not placed well and is suspended	
The porridge overflows	Too much porridge is cooked	Adjust the amount to moderate
The digital screen displays the error code E1/E2/E3/E4/E6/E7	The circuit fails	Press Cancel, power off, and then power on again. If the machine is still abnormal, please contact us.

KALITE

HƯỚNG DẪN SỬ DỤNG

Model: KL-620



www.kalite.vn

Mục lục

Các biện pháp an toàn cơ bản khi sử dụng.....	11
Các thành phần và chức năng.....	12
Thông số kỹ thuật.....	13
Cách sử dụng.....	14
Chú ý.....	16
Thay thế và vệ sinh.....	16
Thông tin bảo hành.....	16
Dịch vụ bảo hành.....	17

Các biện pháp an toàn cơ bản khi sử dụng

Các biện pháp an toàn cơ bản luôn phải được thực hiện khi sử dụng thiết bị điện, bao gồm những biện pháp sau:


1. Nồi cơm điện không nhằm mục đích sử dụng cho những người (kể cả trẻ em) bị suy giảm khả năng thể chất, giác quan hoặc tinh thần, hoặc thiếu kinh nghiệm và kiến thức sử dụng, trừ khi họ được người có trách nhiệm giám sát hoặc hướng dẫn sử dụng thiết bị một cách an toàn.
2. Vui lòng để nồi cơm điện tránh xa tầm tay trẻ em. Trẻ em không được phép sử dụng một mình để tránh bị điện giật, bỏng nước hoặc các chấn thương khác.
3. Các chức năng của nồi cơm điện có thể được sử dụng trên phạm vi toàn cầu.
4. Nồi cơm điện cần được vệ sinh sau khi sử dụng, tuyệt đối không ngâm, nhúng nồi cơm điện xuống nước.
5. Không nhét các mảnh vụn kim loại, dây điện, kim tiêm và các dị vật khác vào bên trong hoặc khe hở của nồi cơm điện, nếu không sẽ gây ra điện giật hoặc hoạt động bất thường của nồi.
6. Khi nồi cơm điện được vệ sinh, bị lỗi hoặc không sử dụng, để tránh rò rỉ hoặc vô tình hoạt động, hãy nhớ rút nguồn điện.
7. Không đặt nồi cơm điện trực tiếp trên lửa hoặc bất kỳ nơi nào gần nguồn nhiệt hoặc nguồn lửa, nếu không nồi cơm điện sẽ bị hỏng hoặc cháy, thậm chí gây nguy hiểm.
8. Không đặt nồi cơm điện trên bề mặt không ổn định, ẩm ướt, nhiệt độ cao, không bền nhiệt (như khăn trải bàn nhựa, vải bông, thảm, v.v.), để tránh điện giật, hỏa hoạn, rơi rớt và các tai nạn thương tích và tổn thất tài sản.
9. Vui lòng sử dụng ổ cắm điện có dòng điện định mức 10A trở lên và điện áp xoay chiều 220V để tránh hỏa hoạn, điện giật và các tai nạn khác.
10. Không cắm hoặc rút phích cắm khi tay ướt để tránh bị điện giật. Khi rút phích cắm, giữ tay cầm phích cắm và không kéo dây nguồn, nếu không rất dễ làm hỏng dây nguồn.

11. Nếu dây nguồn bị hỏng, nó phải được thay thế bằng dây đặc biệt, hoặc linh kiện đặc biệt mua từ nhà sản xuất.
12. Trước khi sử dụng, hãy đảm bảo kết nối chắc chắn giữa dây nguồn và ổ cắm, nếu không nồi cơm điện sẽ bị hỏng do tiếp xúc kém, gây ra chập mạch hoặc cháy nổ rất nguy hiểm.
13. Nồi cơm điện là thiết bị loại I. Dây nối của ổ cắm phải được đấu nối tốt.
14. Nồi cơm điện chỉ sử dụng trong gia đình. Chúng tôi sẽ không chịu trách nhiệm về bất kỳ tai nạn hoặc thương tích nào do sử dụng cho mục đích thương mại, sử dụng không đúng cách hoặc không tuân thủ hướng dẫn sử dụng.
15. Không thể vận hành nồi cơm điện bằng bộ hẹn giờ bên ngoài hoặc hệ thống điều khiển từ xa độc lập.
16. Nồi cơm điện chỉ sử dụng trong nhà, không được sử dụng ở những nơi ẩm ướt và ngoài trời để tránh tình trạng chập điện, lão hóa linh kiện gây tai nạn hư hỏng.
17. Không di chuyển nồi cơm điện trong quá trình sử dụng.
18. Không tự mình tháo rời nồi cơm điện hoặc thay thế các bộ phận nếu nồi bị hỏng để không gây ra hỏa hoạn, điện giật hoặc thương tích.
19. Sau khi mở gói, vui lòng bỏ túi ni lông vào thùng rác ngay lập tức để tránh trẻ em nghịch và gây nguy cơ ngạt thở.
20. Khi nồi cơm điện đang hoạt động, không mở nắp trên, không để tay gần phần kim loại và lỗ thoát hơi của sản phẩm để tránh bị bỏng.
21. Không để nồi cơm điện ngập trong nước.
22. Không nhắc nồi trong của nồi cơm điện khi đang vận hành hoặc trước khi làm mát để tránh bị bỏng.
23. Phạm vi độ cao của nồi cơm điện để có thể làm việc bình thường là 0-2000 mét.
24. Không nấu thức ăn có tính axit (pH < 5).

Các thành phần và chức năng

Phụ kiện


Muôi xới cơm	Cốc đong	Khay hấp	Dây nguồn	Hướng dẫn sử dụng
1	1	1	1	1



Thông số kỹ thuật

Mã sản phẩm	KL-620
Điện áp đầu vào	220 - 240 V
Công suất hoạt động	860 W
Tần số hoạt động	50 Hz
Dung tích	1.8 L
Cân nặng	4.5 Kg
Số người sử dụng thích hợp	4 - 8 người

Cách sử dụng



1. Chức năng giữ ấm (Keep warm)

Sau khi nấu xong, nồi cơm điện sẽ tự động chuyển sang trạng thái giữ ấm hoặc bạn có thể chọn trực tiếp giữ ấm để vào trạng thái giữ ấm.

- Thời gian giữ ấm tối đa là 12 giờ.

2. Chức năng hẹn giờ (Delay timer)

Ví dụ: Cài đặt sẵn khi nấu cơm. Bây giờ là 10:00 tối, và việc nấu ăn phải được hoàn thành trước 6 giờ sáng ngày mai, vậy hãy đặt trước thời gian là 8 giờ (thời gian đặt trước là thời gian chênh lệch giữa thời gian hiện tại và thời gian hoàn thành).

• Bước 1: Cho gạo đã vo sạch vào nồi và thêm vào tương ứng mực nước theo lượng gạo.

• Bước 2: Kết nối nguồn điện, nhấn chọn chức năng 2. White rice (Cơm trắng).

• Bước 3: Nhấn Delay Timer (Hẹn giờ) để vào trạng thái đặt trước, sau đó vẫn nhấn Delay Timer (Hẹn giờ) để điều chỉnh thời gian cần nấu xong từ thời điểm hiện tại.

• Bước 4: Nhấn Bắt đầu (Start) để vào chức năng Hẹn giờ. Cơm sẽ được nấu chín trong thời gian quy định.

• Hẹn giờ (Delay timer) có thể được áp dụng trên các món Yến mạch (Oatmeal), cơm trắng (White rice), gạo lứt (Brown rice) cùng với các chế độ nấu cơm nhanh (Quick rice), nấu chậm (Slow cook) và chức năng hấp (Steam).

• Ở trạng thái của chức năng hẹn giờ (Delay timer): nhấn Delay Timer (Hẹn giờ) để tăng mười phút mỗi lần.

• Nhấn và giữ Hẹn giờ (Delay timer) trong 2 giây để tăng nhanh thời gian đặt trước.

• Bộ hẹn giờ là thời gian ước tính. Thời gian đặt trước tối đa là 24 tiếng. Chúng tôi khuyến nghị rằng thời gian đặt trước tối đa không nên quá 12 giờ.

3. Yến mạch

- Bước 1: Cho yến mạch vào thêm lượng nước vừa đủ
- Bước 2: Chọn Yến mạch (Oatmeal) và nhấn Bắt đầu (Start) để vào trạng thái nấu.

4. Cơm (Rice)

- Bước 1: Rửa sạch các nguyên liệu đã chuẩn bị (kê / gạo lứt / ngũ cốc) và đổ vào nồi.
- Bước 2: Thêm lượng nước thích hợp đến vạch chia độ trong lòng nồi (tùy theo lượng gạo).
- Bước 3: Đóng nắp trên của nồi cơm điện, chọn cơm trắng (White rice) / gạo lứt (Brown rice) / nấu nhanh (Quick rice), và nhấn Bắt đầu (Start) để vào trạng thái nấu.

5. Hấp (Steam)

- Bước 1: Chuẩn bị nguyên liệu hấp chín rồi cho nước vào tương ứng. Mức nước theo lượng nguyên liệu.
- Bước 2: Cho các nguyên liệu đã làm sạch vào xồng hấp rồi đặt vào nồi cơm.
- Bước 3: Đóng nắp trên của nồi cơm điện, nhấn và chọn chức năng Hấp (Steam).
- Bước 4: Nhấn Bắt đầu (Start) để vào trạng thái nấu.

6. Nấu nhanh: Nấu cơm nhanh hơn so với tiêu chuẩn (cơm có thể ko chín đều tùy vào điện áp của từng vùng miền)

7. Nấu chậm: Mặc định là 6 tiếng, có thể điều chỉnh thời gian cho phù hợp với từng loại thực phẩm

Chú ý

1. Đóng gạo bằng cốc đi kèm với nồi cơm điện
2. Thêm nước. Nếu bạn đóng 4 cốc gạo thì hãy cho nước đến vạch số 4.
3. Đối với tất cả chức năng, không vượt quá vạch nước tối đa cho trước và không vo gạo bằng lòng nồi.

Thay thế và vệ sinh

1. Làm sạch bên ngoài của nồi cơm điện, sau đó mở nắp trên của nồi cơm điện. Giữ nắp bên trong bằng một tay, lấy tấm zoăng cao su trên nắp bên trong và lấy lòng nồi ra.
2. Tháo nồi bên trong, làm sạch bên trong và bên ngoài bằng một miếng bọt biển mềm, và sau đó lau khô bằng vải khô mềm. Sau đó làm sạch lớp vỏ bên trong, lau khô bằng vải mềm, phù hợp.

Lưu ý: Vui lòng đảm bảo nồi cơm điện ở trạng thái ngắt điện khi vệ sinh và lấy / đặt lòng nồi nhẹ nhàng để tránh biến dạng do va chạm. Không cọ rửa lòng nồi bằng len thép hoặc vật cứng để tránh làm xước lớp chống dính.

Thông tin bảo hành

KALITE
Gia dụng thông minh

 1900 1850
 www.kalite.vn
 baohanh@ukg.com.vn

KÍCH HOẠT BẢO HÀNH ĐIỆN TỬ



 (DẤU CHẤM SỐ SERIAL)
 8077
10000/TIN NHÃN
(*) Số serial được in trong tem dán trên thân sản phẩm

BAOHANH.UKG.COM.VN

Dịch vụ bảo hành

Biểu hiện	Vấn đề mắc phải	Cách giải quyết
Đèn báo hiệu không sáng	Nguồn điện chưa cắm	Kiểm tra và cắm dây
	Dây nguồn hỏng	Liên hệ chúng tôi
Nồi cơm điện không thể làm nóng	Hỏng mạch điện	Liên hệ chúng tôi
	Cầu chì bị cháy	
	Mâm điện bị hỏng	
Đèn báo vẫn sáng nhưng nồi không thể làm nóng	Hỏng mạch điện	Liên hệ chúng tôi
	Mâm điện bị hỏng	
Nồi không thể nấu chín cơm	Quá nhiều cơm	Điều chỉnh lượng gạo phù hợp theo dung tích của nồi
	Tỉ lệ gạo với nước không phù hợp	Chỉnh lại tỉ lệ gạo và nước
	Lòng nồi đặt không khốp	Xoay lòng nồi một cách nhẹ nhàng
	Có vật gì đó rơi vào tấm nhiệt	Làm sạch phía trong tấm nhiệt
	Lòng nồi bị thay đổi hình dạng	Liên hệ chúng tôi
	Mạch điện hỏng	
	Cảm biến nồi bị hỏng	
Nồi tự động vào chế độ giữ ấm hoặc màn hình báo lỗi mã E5	Nồi trong chưa được cho vào	Tắt nguồn điện Nồi cơm điện dùng bình thường sau khi hạ nhiệt
	Không có nước trong nồi	
	Nồi trong đặt không khốp	
Khi nấu cháo bị tràn nước	Có quá nhiều cháo	Điều chỉnh lượng vừa phải
Màn hình hiện lỗi E1/E2/E3/E4/E6/E7	Mạch điện hỏng	Nhấn nút Hủy (Cancel), tắt nguồn, sau đó bật nguồn. Nếu nồi vẫn còn dấu hiệu bất thường, hãy liên hệ chúng tôi.